

Dry Cow Intramammary Treatments

Product	Active Ingredient	<i>Staph aureus</i>	<i>Strep agalactiae</i>	<i>Strep dysgalactiae</i>	<i>Strep uberis</i>	RX Required	Milk Withhold	Slaughter Withdrawal
Albadry Plus	<i>novobiocin penicillin</i>	●	●				72 Hours	30 Days
Dry-Clox	<i>cloxacillin benzathine</i>	●	●			●	0 Hours	30 Days
Go-Dry	<i>penicillin</i>		●				72 Hours	14 Days
Orbenin-DC	<i>benzathine cloxacillin</i>	●	●			●	0 Hours	28 Days
Quartermaster	<i>penicillin-dihydrostreptomycin</i>	●				●	96 Hours	60 Days
Spectramast DC	<i>ceftiofur hydrochloride</i>	●		●	●	●	0 Hours	16 Days
ToMORROW	<i>cephapirin benzathine</i>	●	●				72 Hours	42 Days

Lactating Cow Intramammary Treatments

Product	Active Ingredient	Coagulase- negative staph	Staph aureus	Strep agalactiae	Strep dysgalactiae	Strep uberis	E. coli	RX Required	Dosage	Milk Withhold	Slaughter Withdrawal
Amoxi-Mast	amoxicillin		•	•				•	1 syringe; may repeat every 12 hrs for a maximum of 3 treatments	60 Hours	12 days
Dariclox	sodium cloxacillin		•	•				•	1 syringe; may repeat every 12 hrs for a maximum of 3 treatments	48 Hours	10 Days
Masti-Clear	penicillin				•	•	•		1 syringe; may repeat every 12 hrs for a maximum of 3 treatments	60 Hours	3 Days
Pirsue	pirlimycin hydrochloride		•	•	•	•		•	1 syringe every 24 hrs; may repeat for up to 8 consecutive days	36 Hours	9 Days (used for 2 days) 21 Days (used 3-8 days)
PolyMast	hetacillin potassium		•	•	•		•	•	1 syringe; may repeat every 12 hrs for a maximum of 3 treatments	72 Hours	10 Days
Spectramast LC	ceftiofur hydrochloride	•			•		•	•	1 syringe every 24 hrs; may repeat for up to 8 consecutive days	72 Hours	2 Days
ToDAY	cephapirin sodium		•	•					1 syringe every 12 hrs for a maximum of 2 treatments	96 Hours	4 Days